

## Double Sided Scrim Banner 368

matt 8214 - 368 g/m<sup>2</sup>

Double sided scrim banner is a laminated, matt, micro-textured, reinforced banner with a black coating in the centre, suitable for double-side solvent printing.

### Advantages

- Outdoor/ indoor banners, two sided printable
- Maximum opacity due to black out coating, excellent colour and dot gain
- High tear strength, micro-textured, quick drying
- Recommended for solvent- mild- and eco-solvent inks

### Storage conditions

Shelf life: 2 years, temperature 22°C, relative humidity 50 - 55%. Repack opened rolls when not in use. The rolls should be stored hanging from the core plugs inside the box otherwise striping may result.

### Print Conditions

Best results are obtained between 15-25°C and 35-65% RH.

### Environment, Health & Safety

No material safety datasheet required.

### Outdoor use

Excellent water and UV resistance with Eco-solvent, mild-solvent and solvent inks. The banner is suited for short-term (6 months) outdoor use. The actual outdoor life will depend on substrate preparation and exposure conditions.

### Lamination

Compatibility	Hot	Warm	Cold
	1	1	1
	3=excellent	2= fair	1= not recommended

Hot: heat activated: 105°C - 130°C  
Warm: heat activated: 85°C - 95°C  
Cold: pressure sensitive

### Colour Profiles

Sihl Direct b.v. develops high quality colour profiles for media / ink / printer / Rip combinations. Check availability of profiles for your printer at the download section [www.sihl.nl](http://www.sihl.nl) or contact us at +31(0)73-6441044.

## Solvent Ongecoat

**Double Sided Scrim Banner 368**matt 8214 - 368 g/m<sup>2</sup>

## List of Printers

Printer	Ink	Quality
Océ CS6060/6100	Solvent	Excellent
Océ CS9065/9090 (low solvent)	Solvent	Excellent
Océ CS9065/9090 (eco solvent)	Solvent	Excellent
Océ CS7070/7075/7100	Solvent	Excellent
Océ Arizona series not with AZ600	Solvent	Fair
Seiko color painter 64S / 100S	Solvent	Excellent
HP Designjet 8000s/9000s/10000s	Solvent	Excellent
Mutoh rockhopper (eco solvent ultra)	Solvent	Excellent
Mutoh spitfire (mild solvent)	Solvent	Excellent
Mutoh Toucan/Osprey/Phoenix	Solvent	Excellent
Agfa grand sherpa	Solvent	Excellent
ColorSpan display maker 72/98 UVX/UVR	Solvent	Excellent
ColorSpan display maker 72s/98s	Solvent	Excellent
Gandiinnovations Jeti 33xx/5000	Solvent	Excellent
Mimaki JV3 series	Solvent	Excellent
Roland Soljet/Versacam series	Solvent	Excellent
NUR, Scitex, Vutek	Solvent	Excellent

ING Bank 's-Bosch 67.47.92.742  
 BTW NL805593445B01  
 IBAN NL97 INGB 0674 7927 42  
 BIC/SWIFTCODE INGBNL2A

*Op al onze aanbiedingen en overeenkomsten zijn de ICT-Office Voorwaarden van toepassing, gedeponneerd d.d. 14 januari 2009 bij de Kamer van Koophandel te Midden-Nederland onder nummer 30174840. De afnemer heeft van deze voorwaarden kennis genomen en verklaart zich akkoord met de inhoud van deze voorwaarden. Op verzoek worden de ICT-Office Voorwaarden kosteloos nogmaals toegezonden.*

Sihl Direct bv  
 Mangaan 8  
 5234 GD 's-HERTOGENBOSCH

telefoon +31(0)73 6441044  
 telefax +31(0)73 6441212  
 e-mail sihl@sihl.nl  
 internet www.sihl.nl  
 K.v.K. 's-Bosch 160.55.676

## Solvent Ongecoat

**Double Sided Scrim Banner 368**matt 8214 - 368 g/m<sup>2</sup>**Physical Properties**

<b>Weight</b>	368 g/m <sup>2</sup>	<b>Tensile Strength*</b>	400/280 N/cm
<b>Tear Strength*</b>	29/24 N		

\*MD/CD

**Available widths (mm)**

3"Core                      1372            1880

The data provided in this product data sheet are values for orientation only.

Before using our print media please check their suitability for your printer and for your intended application. We do not take any liability for failures or damages resulting from technically modified printing inks and/or printers as technical specifications are subject to change.

ING Bank 's-Bosch 67.47.92.742  
 BTW NL805593445B01  
 IBAN NL97 INGB 0674 7927 42  
 BIC/SWIFTCODE INGBNL2A

*Op al onze aanbiedingen en overeenkomsten zijn de ICT-Office Voorwaarden van toepassing, gedeponereerd d.d. 14 januari 2009 bij de Kamer van Koophandel te Midden-Nederland onder nummer 30174840. De afnemer heeft van deze voorwaarden kennis genomen en verklaart zich akkoord met de inhoud van deze voorwaarden. Op verzoek worden de ICT-Office Voorwaarden kosteloos nogmaals toegezonden.*

Sihl Direct bv  
 Mangaan 8  
 5234 GD 's-HERTOGENBOSCH

telefoon +31(0)73 6441044  
 telefax +31(0)73 6441212  
 e-mail sihl@sihl.nl  
 internet www.sihl.nl  
 K.v.K. 's-Bosch 160.55.676